

SW 229



925 S. Broadway, Suite 251
Cortez, CO 81321
PH: (970)565-1198
Fax: (970)565-7688
www.contractenv.com

April 6th, 2016

Div of Waste Management
and Radiation Control

Mr. Scott T. Anderson

APR 14 2016

Director, Division of Waste Management and Radiation Control

Department of Environmental Quality

DSHW-2016-008884

State of Utah

195 North 1950 West

PO Box 144880

Salt Lake City, Utah 84114-4880

Attention: Mr. Rob Powers

RE: Modification for Contract Environmental Services, Inc. Class V Landfill Facility Permit Number 0405R2

Dear Mr. Anderson,

Contract Environmental Services, Inc. (CESI) is pleased to submit a modification to move the current footprint designated within the permitted property boundaries under the approved permit of existing Class V Landfill Permit Number 0405R2. Please find and review an enclosed modification plan and details.

Please find enclosed check of \$100.00 for the modification fee. Contract Environmental Services, Inc. is looking forward to continuing a good working relationship with the Division of Waste Management and Radiation Control. If you have any questions or concerns, please do not hesitate to contact me anytime of your convenience.

Sincerely,

Tsuyoshi Okano

President

Contract Environmental Services, Inc.

E-mail: yoshi@contractenv.com

Cell: (858) 401-3985



925 S. Broadway, Suite 251
Cortez, CO 81321
PH: (970)565-1198
Fax: (970)565-7688
www.contractenv.com

DSHW-2016-008884

Permit Modification

for

Class V Landfill: Permit Number 0405R2

(Asbestos-Containing Material and Construction/Demolition Material)

Permit Modification Presented To:

State of Utah

Division of Waste Management and Radiation Control

Department of Environmental Quality

Permit Modification Prepared by:

Contract Environmental Services, Inc.

925 S. Broadway, Suite 251

Cortez, CO 81321

Permit Modification Date: April 6th, 2016

Property Location:

Northeast Quarter, Section 18, Township 39 South, Range 26 East

San Juan County, Utah

(160 Acres)



DSHW-2016-008884

925 S. Broadway, Suite 251
Cortez, CO 81321
PH: (970)565-1198
Fax: (970)565-7688
www.contractenv.com

Div of Waste Management
and Radiation Control

Permit Modification

APR 14 2016

for

Class V Landfill: Permit Number 0405R2

(Asbestos-Containing Material and Construction/Demolition Material)

Permit Modification Presented To:

State of Utah

Division of Waste Management and Radiation Control

Department of Environmental Quality

Permit Modification Prepared by:

Contract Environmental Services, Inc.

925 S. Broadway, Suite 251
Cortez, CO 81321

Permit Modification Date: April 6th, 2016

Property Location:

Northeast Quarter, Section 18, Township 39 South, Range 26 East
San Juan County, Utah
(160 Acres)

Modification Plan and Details

1. Purpose of the modification

The purpose of this modification is to start utilizing other cells for the asbestos landfill and the construction/demolition (C/D) landfill area within the permitted property by the Division of Waste Management and Radiation Control on March 30th, 2010. (**Attachment A: Class V Landfill Permit Approval and Utah Division of Waste Management and Radiation Control PERMIT**) Contract Environmental Services, Inc. (CESI) is planning to utilize 15 cells (approx. 45 acres) for the Asbestos Landfill and the Construction/Demolition Landfill within the permitted 160 acres, in order to proceed closure of the current open 3 landfill cells (approx. 9 acres, Cell #10, 11, and 15) in the near future to continue the existing Class V Landfill operations. The plan is to start utilizing cells #8 and #9 for Asbestos Landfill as soon as the current Asbestos Landfill cells #10 and #11 are full. The cells #8 and #9 are located to the north of cells #10 and #11. For C/D landfill, CESI will be utilizing the cell #14 (or another cell depends on the cell conditions) as soon as the current C/D landfill cell #15 becomes full. The cell #14 is located east of cell #15.

2. Current Open Cells

Currently, the CES facility operates approximately 9 acres in Cell #10 and Cell #11 for Asbestos Landfill, and Cell #15 for C/D Landfill as open cells, and approximately 8 acres of the open cells are filled and covered as required. (**Attachment B: Map**) These cells will be closed as soon as the permit modification is approved by the DWMRC in accordance with the current approved landfill permit. (**Attachment A**)

3. Modification Plan

The Modification plan is to be able to utilize cells #1, 2, 3, 4, 5, 6, 7, 8, 9, and 12 for the Asbestos Landfill, in addition to cells #13, 14, 16, 17, and 18 for the C/D Landfill in the future.

(Attachment C: Modification Plan Layout) Operations for the Landfill Requirements remain as same as the facility was approved in the permit renewal in 2010.

Two (2) cells, approximately 6 acres, to be utilized at a time as facility needed and to be fenced as EPA required for asbestos landfill. For the C/D landfill, one (1) cell, approximately 3 acres, to be utilized as needed. In the past 10 years since the facility was initially permitted in 2005, the facility utilized less than 3 cells, approximately 8 acres, for both the Asbestos and the C/D landfill operation.

The Plan for the next 10 years is to utilize cells #8 and #9 for the asbestos landfill, and cell #14 (or another cell depends on the cell conditions) for C/D landfill for the next phase.

Furthermore, the other cells will be opened as the facility needed, depends on the future volume of the materials for the future phases. CESI will review financial assurance and calculations with the Division by each phase and volume of the materials that the facility opens for the landfill cells.

4. Next Phase and Cells for the next 10 years

As the **Modification Plan and Layout** (Attachment C) shows, for the next 10 years, CESI is planning to open 3 cells, approximately 9 acres as a next phase. The plan is to begin opening less than one (1) acre at a time each year as needed in cells #8 and #9 for the Asbestos Landfill in 2016, and #14 (or one of the other cells depends on the cell condition) for C/D Landfill in 2017 or earlier as the facility needs. Our projections show that of the 18 landfarm cells in the first 80 acres we estimate 660,000 cubic yard of landfill capacity based on historical landfill data. Total Quantity of Waste received since the initial permit in 2005 were 64,967.5 cubic yards. (As of December 31st, 2015) Therefore, CESI estimates to open 3 cells, 9 acres, to be used in the next 10 years as the next phase.

5. Closure and post closure for the current open cells (Cell #10, 11, and 15)

The landfill cells will be closed in phases. The current asbestos landfill cells #10/#11, and the current C/D landfill cell #15 will be closed when they are fully utilized and a closure and a post closure process will begin according to the plans.

Closure Plan: Daily cover over the asbestos and monthly cover over C/D material are 6" – 12" of fill materials. And these materials are compacted with equipment tires. Daily and monthly cover materials are remediated Oil & Gas soil, remediated UST soil or virgin soil as needed. The current cells (the cell #10, #11, and #15) as the phase will be closed first as soon as the permit modification is approved. The final cover will be an additional 12"-18" of fill material compacted with equipment tires. Additionally, approximately 6" of topsoil will be placed uncompacted over the area and leveling and seeding will then take place with a seed mix as needed. When closure is complete, we will have at least 18" of compacted fill covered by at least 6" of topsoil that has been seeded. When final cover completes, section should end up with at least 18" compacted soil and 6" of soil to support the vegetative cover. When closed, the permitted property will be done in a manner that minimizes further maintenance and continues to eliminate threats to human health and environment.

Post Closure Plan: When the Executive Secretary approves the closure, the Post Closure Plan activities will begin. Maintenance will consist of semi-annually walking through the landfill cell areas and monitoring for established vegetation and erosion from wind or water. Post Closure monitoring reports will be kept at the CESI main office and CESI will provide the name, address, and phone of the person responsible when Post Closure is initiated. Annual reports will be provided and following completion of the Post Closure period. A professional engineer licensed in Utah will certify the Post Closure activities were conducted in accordance with this plan. Post Closure documentation will be placed in the operating record and forwarded to the Executive Secretary.

6. Closure Plan and Post Closure Plan for next phase

For a closure plan and a post closure plan of the next phase (cell #8, #9 and #14), a process of the plans remain the same as described in #5. (Above) CESI will be utilizing approximately 1 acre per year. And as soon as the area is utilized and filled, closure plan will begin. Each year in annual reports, a utilized area will be reported and financial assurance will be reviewed with the division and CESI will increase the amount as necessary.

7. Closure Calculation, Post-Closure Calculation and Financial Assurance

For the closure calculation and financial assurance, CESI has already placed a letter of credit amount of \$45,000.00 issued by Citizens Bank for the current cells for 9 acres, which was reviewed by the Division, for closure and post closure estimate amount of \$42,477.98 in 2014. CESI will notify and review the amount when the first 9 acres are closed. In addition, CESI will increase the amount of financial assurance each year by the acres used for the new phases. Because of the past volume of the waste received for the landfill, CESI believes that it would be reasonable to increase the closure estimates by the landfill space will be utilized with the Division as it has been in the past. From the past 10 years, CESI estimates approximate of one (1) acre or less to be used for the landfill each year. As CESI reviewed with Animas Environmental LLC, a closure estimate for the new 9 acres is \$54,911.40 as it shows in the bottom of this page, (**Attachment D: Closure and Post Closure Cost Estimate**) therefore, CESI will increase the financial assurance with the number of acres utilized times \$6,101.27 each year. The amount will be reported in annual reports every year which required by the division.

A Defined Cost Estimate by Animas Environmental with DSHW (DWMRC) oversight.

Closure Estimate (Single event - 3 cells for a total of 9 acres)

Item	QTY	Total	Note
Equipment Rental Loader	1	\$5,720.00	Rate per month. Includes mobilization/demobilization
Equipment Operator	20	\$1,530.00	Field Tech Operator, 2 days, include travel
Staff Scientist/Geologist	14	\$1,295.00	Oversee Field work, sample collection
Revegetation	1	\$3,000.00	Seeds, plants, fertilizers.
Laboratory Analysis	30	\$2,970.00	30 samples: TPH (418.1) or GRO, DRO (8015M)
Mileage	184	\$184.00	Mileage
General Contingency Fee	10%	\$1,469.90	
DWMRC Oversight Contingency	10%	\$1,469.90	
TOTAL		\$17,638.80	

Post Closure Estimate (30 years)

Item	QTY	Total	Note
Revegetation repair (if necessary)	1	\$2,500.00	Seeds, plants. Fertilizers.
Staff Scientist/Geologist	300	\$27,750.00	Site monitoring, 2/yr for 30 yrs, includes travel
Laboratory Analysis (if necessary)	1	\$99.00	TPH (418.1) or DRO, GRO (8015M), for necessary locations
Mileage	184	\$184.00	Mileage
PE Stamp sign off certification	2	\$305.50	Closure Report review and sign
Project Manager	2	\$222.00	Project Management, Client/Regulatory contact
General Contingency Fee	10%	\$3,106.05	
DWMRC Oversight Contingency	10%	\$3,106.05	
TOTAL		\$37,272.60	

Closure and Post Closure Estimate Total	9 acres	\$54,911.40	(\$6,101.27 per acre)
--	----------------	--------------------	------------------------------

Attachment A

Class V Landfill Permit Approval

and

Utah Division of Waste Management and Radiation Control

PERMIT



State of Utah

GARY HERBERT
Governor

GREG BELL
Lieutenant Governor

Department of
Environmental Quality

Amanda Smith
Executive Director

DIVISION OF SOLID AND
HAZARDOUS WASTE
Dennis R. Downs
Director

March 30, 2010

Tsuyoshi Okano, President
Contract Environmental Services
925 S. Broadway, Suite 251
Cortez, Colorado 81321

Subject: Class V Landfill Permit Approval

Dear Mr. Okano:


The 30-day public comment period for the Contract Environmental Services Class V landfill draft permit began on February 10, 2010. The announcement of the public comment period appeared in *The Salt Lake Tribune*, *Deseret News*, and the *San Juan County Record*. One comment was received and no changes were made to the permit as a result of the comment.

Enclosed is Permit #0405R2, which expires on April 1, 2020. A final public notice of the permit issuance will appear in the *San Juan County Record*.

Representatives of the Division of Solid and Hazardous Waste and/or representatives of the Southeastern Utah District Health Department will conduct periodic inspections. The inspections are to assess compliance with the conditions of the Permit and the Solid Waste Permitting and Management Rules.

If you have any questions, please contact Rob Powers or Ralph Bohn at 801-536-0200.

Sincerely,


Dennis R. Downs, Executive Secretary
Utah Solid and Hazardous Waste Control Board

DRD/rdp/kk

Enclosure: Permit

c: David Cunningham, RN, MSN, Health Officer, Southeastern Utah Health Department
Claron D. Bjork, EHS, PhD, Environmental Health Director, Southeastern Health Dept.
Dave Ariotti, DEQ District Engineer

TN201000251.DOC

**UTAH SOLID AND HAZARDOUS WASTE CONTROL BOARD
SOLID WASTE PERMIT**

CLASS V LANDFILL

Pursuant to the provisions of the *Utah Solid and Hazardous Waste Act*, Title 19, Chapter 6, Part 1, Utah Code Annotated (UCA) 1953, as amended (the Act) and the *Utah Solid Waste Permitting and Management Rules*, Utah Administrative Code (UAC) R315-301 through 320 adopted thereunder,

Contract Environmental Services, Inc.

is hereby approved to operate the Contract Environmental Services, Inc. Class V Landfill located in of Section 18, Township 39 South, Range 26 east, Salt Lake Base and Meridian, San Juan County, Utah as shown in the permit renewal application that was determined complete on date of completeness notification and tracking number.

The operation of the landfill is subject to the conditions that Contract Environmental Services, Inc. (Permittee) meet the requirements of UAC R315-301 through 320 and the requirements set forth herein.


All references to UAC R315-301 through 320 are to regulations that are in effect on the date that this Permit becomes effective.

This Permit shall become effective April 1, 2010.

This Permit shall expire at midnight April 1, 2020.

Closure Cost Revision Date April 1, 2015.

Signed this 30 day of March, 2010.



Dennis R. Downs, Executive Secretary
Utah Solid and Hazardous Waste Control Board

FACILITY OWNER/OPERATOR INFORMATION

LANDFILL NAME: Contract Environmental Services Class V Landfill

OWNER ADDRESS: 925 S. Broadway, Suite 251
Cortez, Colorado 81321

OWNER PHONE NO.: 970-565-1198

TYPE OF PERMIT: Class V Landfill

PERMIT NUMBER: 0405R2

LOCATION: Landfill site is located in Township 39 South, Range 26 East,
Section 18, SLMB; San Juan County, Lat. 37° 23' 47.22", Long.
109 ° 05' 44.76"

The facility is located approximately 19 miles north of Aneth, Utah and 2 miles west of Hovenweep National Monument.

PERMIT REQUIREMENTS

Permit as used in this document is defined in UAC R315-301-2(55).

The renewal application as deemed complete on the date shown on the signature page of this Permit, is hereby incorporated by reference into this Solid Waste Permit and will be referred to as the permit application throughout this Permit. All representations made in the permit application are part of this Permit and are enforceable under UAC 315-301-5(2). The permit application will become part of the operating record of the Landfill. Where differences in wording exist between this Permit and the permit application, the wording of this Permit supersedes that of the permit application.

This Permit consists of the signature page, and the permit application as defined above.

The facility as described in this Permit and the permit application consists of a gate house and separate disposal cells for asbestos and construction and demolition waste.

By this Permit to own and operate, the Permittee is subject to the following conditions.

I. GENERAL COMPLIANCE RESPONSIBILITIES

A. General Operation

The Permittee shall operate the landfill in accordance with all applicable requirements of UAC R315-302 and 303, for a Class V landfill, that are in effect as of the date of this Permit unless otherwise noted in this Permit. Any permit noncompliance or noncompliance with any applicable portions of UCA 19-6-101 through 123 and applicable portions of UAC R315-301 through 320 constitutes a violation of the Permit or applicable statute or rule and is grounds for appropriate enforcement action, permit revocation, modification, or denial of a permit renewal application.

B. Acceptable Waste

This Permit is for the disposal of non-hazardous solid waste and is further limited to asbestos contaminated waste and construction and demolition waste only. Separate disposal cells shall be maintained for the disposal of construction and demolition waste and asbestos waste. All waste placed in the asbestos cell shall be considered to be asbestos waste.

C. Prohibited Waste

No hazardous waste as defined by UAC R315-1 and R315-2 or no waste other than asbestos containing waste and construction and demolition waste as allowed in section IB of this permit. No asbestos waste may be placed in the construction and demolition waste cell.

Any prohibited waste received and accepted for disposal at the facility will constitute a violation of this Permit, of UCA 19-6-101 through 123 and of UAC R315-301 through 320.

D. Inspections and Inspection Access

The Permittee shall allow the Executive Secretary of the Utah Solid and Hazardous Waste Control Board or an authorized representative of the Board, or representatives from the Southeastern Utah District Health Department, to enter at reasonable times and:

1. Inspect the landfill or other premises, practices or operations regulated or required under the terms and conditions of this Permit or UAC R315-301 through 320;
2. Have access to and copy any records required to be kept under the terms and conditions of this Permit or UAC R315-301 through 320;

3. Inspect any loads of waste, treatment facilities or processes, pollution management facilities or processes, or control facilities or processes required under this Permit or regulated under UAC R315-301 through 320; and
4. Create a record of any inspection by photographic, videotape, electronic, or any other reasonable means.

E. Noncompliance

If monitoring, inspection, or testing indicates that any permit condition or any applicable rule under UAC R315-301 through 320 may be or is being violated, the Permittee shall promptly make corrections to the operation or other activities to bring the facility into compliance with all permit conditions or rules.

In the event of any noncompliance with any permit condition or violation of an applicable rule, the Permittee shall promptly take any feasible action reasonably necessary to correct the noncompliance or violation and mitigate any risk to the human health or the environment. Actions may include eliminating the activity causing the noncompliance or violation and containment of any waste or contamination using barriers or access restrictions, placing of warning signs, or permanently closing areas of the facility.

The Permittee shall: document the noncompliance or violation in the operating record on the day the event occurred or the day it was discovered; notify the Executive Secretary of the Solid and Hazardous Waste Control Board by phone within 24 hours or the next business day following documentation of the event; and give written notice of the noncompliance or violation and measures taken to protect public health and the environment within seven days of Executive Secretary notification.

Within thirty days of the documentation of the event, the Permittee shall submit, to the Executive Secretary, a written report describing the nature and extent of the noncompliance or violation and the remedial measures taken or to be taken to protect human health and the environment and to eliminate the noncompliance or violation. Upon receipt and review of the assessment report, the Executive Secretary may order the Permittee to perform appropriate remedial measures including development of a site remediation plan for approval by the Executive Secretary.

In an enforcement action, the Permittee may not claim as a defense that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with UAC R315-301 through 320 and this Permit.

Compliance with the terms of this Permit does not constitute a defense to actions brought under any other local, State, or Federal laws. This Permit does not exempt the Permittee from obtaining any other local, State or Federal permits or approvals required for the facility operation.

The issuance of this Permit does not convey any property rights, other than the rights inherent in this Permit, in either real or personal property, or any exclusive privileges other than those inherent in this Permit. Nor does this Permit authorize any injury to private property or any invasion of personal rights, nor any infringement of Federal, State or local laws or regulations including zoning ordinances.

The provisions of this Permit are severable. If any provision of this Permit is held invalid for any reason, the remaining provisions shall remain in full force and effect. If the application of any provision of this Permit to any circumstance is held invalid, its application to other circumstances shall not be affected.

F. Revocation

This Permit is subject to revocation if any condition of this Permit is not being met. The Permittee will be notified in writing prior to any proposed revocation action and such action will be subject to all applicable hearing procedures established under UAC R315-12 and the *Utah Administrative Procedures Act*.

Revocation of this Permit does not revoke the financial assurance established for closure and post-closure care of the facility, nor remove any responsibility on the part of the Permittee for completion of closure and post-closure care for the facility required in UAC R315-302-3.

Revocation of this Permit will necessitate that the Executive Secretary exercise the option to require the funds or other mechanism provided for financial assurance for completion of closure and post-closure care for the facility required in UAC R315-302-3 be called.

G. Attachment Incorporation

Attachments to the permit application are incorporated by reference into this Permit and are enforceable conditions of this Permit, as are documents incorporated by reference into the attachments. Language in this Permit supersedes any conflicting language in the attachments or documents incorporated into the attachments.

II. DESIGN AND CONSTRUCTION

A. Design and Construction

The Permittee shall construct any landfill cell, sub-cell, run-on diversion system, runoff containment system, waste treatment facility, or final cover in accordance with the design submitted as part of the permit application and in accordance with the Utah Solid Waste Permitting and Management Rules (UAC R315-301 thru 320). Separate disposal cells shall be constructed for the construction and demolition waste and for the asbestos waste. All waste placed in the asbestos cell shall be considered to be asbestos containing waste and must be handled as such. If ground water is encountered during excavation of the landfill, the Executive Secretary shall be notified immediately, and a contingency plan implemented or alternative construction design developed and submitted for approval.

The Permittee shall notify the Executive Secretary upon completion of construction of any landfill cell, sub-cell or engineered control system. No landfill cell or engineered control system may be used until as-built documents are submitted and construction is approved by the Executive Secretary.

The Permittee shall notify the Executive Secretary of the completion of construction of any final cover system and shall provide all necessary documentation and shall apply for approval of the construction from the Executive Secretary.

All engineering drawings submitted to the Executive Secretary must be stamped and approved by a professional engineer with a current registration in Utah.

B. Run-On Control

Drainage channels and diversions shall be constructed as specified in the permit application and maintained at all times to effectively prevent runoff from the surrounding area from entering the landfill.

III. LANDFILL OPERATION

A. Operations Plan

The Operations Plan included in the permit application and the solid waste permit issued by the Executive Secretary shall be kept onsite at the landfill or at the location designated in this Permit. The landfill shall be operated in accordance with the operations plan as included in the permit application. If necessary, the

facility owner may modify the Operations Plan, provided that the modification meets all of the requirements of UAC R315-301 through 320, is as protective of human health and the environment as that approved in the permit application, and is approved by the Executive Secretary as a minor modification under UAC R315-311-2(1)(a)(xiii). Any modification to the Operations Plan shall be noted in the operating record.

Any modification to the operations plan must be submitted to the Executive Secretary for approval and is considered a minor permit modification in compliance with UAC R315-311-2(1)(a)(xiii) unless the Executive Secretary determines the change should be subject to public comment under UAC R315-311-2(1)(b).

B. Security

The Permittee shall operate the Landfill so that unauthorized entry to the facility is prevented. All facility gates and other access routes shall be locked during the time the landfill is closed. At least one person, employed by Contract Environmental Services, Inc., shall be at the landfill during all hours that the landfill is open. Fencing and any other access controls as shown in the permit application shall be constructed to prevent access of persons or livestock by other routes.

C. Training

Permittee shall provide training for on-site personnel in landfill operation, including waste load inspection, hazardous waste identification, and personal safety and protection.

D. Burning of Waste

Intentional burning of solid waste is prohibited and is a violation of UAC R315-303-4(2)(b).

E. Daily Cover

The solid waste received at the asbestos cell shall be completely covered at the end of each working day with a minimum of six inches of earthen material. Any waste disposed in the asbestos cell is considered to be asbestos containing waste and must be covered by the end of the day the waste was disposed.

For disposal cell containing the construction and demolition waste only, the Permittee shall cover the waste periodically to prevent fires and to control vectors,

blowing litter, odor, scavenging, and fugitive dust. Cover shall be provided no less than monthly.

At the end of the operating day when cover is applied, the amount of cover placed and the area receiving cover shall be recorded in the operating record and certified by the operator for both the construction and demolition and the asbestos disposal cells.

F. Ground Water Monitoring

For the reasons outlined in Attachment 1 "Statement of Basis," attached to this Permit, the ground water monitoring requirement for the Contract Environmental Services, Inc. landfill has been waived in accordance with R315-308-1(3). Any contamination of ground water resulting from operation of the landfill will result in the revocation of this waiver.

G. Gas Monitoring

The facility has met the requirements of UAC R315-303-3(5)(d) and is exempt from gas monitoring.

H. Waste Inspections

The Permittee shall visually inspect incoming waste loads to verify that no wastes other than those allowed by this permit are disposed in the landfill.

All loads that the operator suspects may contain a waste not allowed for disposal at the landfill will be inspected.

I. Self Inspections

The Permittee shall inspect the facility to prevent malfunctions and deterioration, operator errors, and discharges that may cause or lead to the release of wastes or contaminated materials to the environment or create a threat to human health or the environment. These general inspections shall be completed no less than quarterly and shall cover the following areas: Waste placement, compaction, cover, fences and access controls; roads; run-on/run-off controls; litter controls; and records. A record of the inspections shall be placed in the daily operating record on the day of the inspection. Areas needing correction, as noted on the inspection report, shall be corrected in a timely manner. The corrective actions shall be documented in the daily operating record.

J. Recordkeeping

The Permittee shall maintain and keep on file at Contract Environmental Services, Inc. offices in Cortez, Colorado, a daily operating record and other general records of landfill operation as required by UAC R315-302-2(3). Upon notification of an inspection, the records maintained in the Cortez, Colorado office shall be moved to the landfill site to be available at the time of the inspection.

1. The daily operating record shall include the following items:
 - a. The number of loads of waste and the weights or estimates of weights or volume of waste received each day of operation and recorded at the end of each operating day;
 - b. Major deviations from the approved plan of operation recorded at the end of the operating day the deviation occurred;
 - c. Results of other monitoring required by this Permit recorded in the operating record on the day of the event or the day the information is received;
 - d. Records of all inspections conducted by the Permittee, results of the inspections, and corrective actions taken shall be recorded in the record on the day of the event.
2. The general record of landfill operations shall include the following items:
 - a. A copy of this Permit including the permit application;
 - b. Results of inspections conducted by representatives of the Utah Solid and Hazardous Waste Control Board and/or representatives of the Southeastern Utah District Health Department, when forwarded to the Permittee;
 - c. Closure and Post-closure care plans;
 - d. Records of employee training.

K. Reporting

The Permittee shall prepare and submit, to the Executive Secretary, an Annual Report as required in UAC R315-302-2(4). The Annual Report shall include: the

period covered by the report, the annual quantity of waste received, an annual update of the financial assurance mechanism, and all training programs completed.

L. Roads

All access roads, within the landfill boundary, used for transporting waste to the landfill for disposal shall be improved and maintained as necessary to assure safe and reliable all-weather access to the disposal area.

IV. CLOSURE REQUIREMENTS

A. Closure

Final cover of the landfill shall be as shown in the permit application. The final cover shall meet, at a minimum, the standard design for closure as specified in the UAC (R315-303-3(4)) plus sufficient cover soil or equivalent material to protect the low permeability layer from the effects of frost, desiccation, and root penetration. A quality assurance plan for construction of the final landfill cover shall be submitted to, and approval of the plan must be received from the Executive Secretary prior to construction of any part of the final cover at the landfill. A qualified person not affiliated with the landfill owner shall perform permeability testing on the recompacted clay placed as part of the final cover.

B. Title Recording

The Permittee shall meet the requirements of UAC R315-302-2(6) by recording with the San Juan County Recorder as part of the record of title that the property has been used as a landfill. The recording shall include waste locations and waste types disposed.

C. Post-Closure Care

Post-closure care at the closed landfill shall be done in accordance with the Post-Closure Care Plan contained in the permit application. Post-closure care shall continue until all waste disposal sites at the landfill have stabilized and the finding of UAC R315-302-3(7)(c) is made.

D. Financial Assurance

The Permittee shall keep in effect and active the currently approved financial assurance mechanism or another mechanism that meets the requirements of UAC R315-309 to cover the costs of closure and post-closure care at the landfill. The

financial assurance mechanism(s) shall be adequately maintained to provide for the cost of closure at any stage or phase or anytime during the life of the landfill or the permit life, whichever is shorter.

With each annual revision of the closure and post-closure care cost estimate, the annual payments to be made to the trust fund shall be determined by the following formula:

$$NP=[CE-CV]/Y$$

where NP is the next payment, CE is the current cost estimate for closure and post-closure care (updated for inflation or other changes), CV is the current value of the trust fund, and Y is the number of years remaining in the pay-in period.

With each annual revision of the closure and post-closure care cost estimate, the approved financial assurance mechanism shall be updated to reflect the current cost estimates.

E. Financial Assurance Annual Update

An annual revision of closure and post-closure costs for inflation and financial assurance funding as, required by R315-309-2(2), shall be submitted to the Executive Secretary as part of the annual report.

F. Closure Cost and Post-Closure Cost Revision

The Permittee shall submit a complete revision of the closure and post-closure cost estimates by the date listed on the signature page of this Permit, any time the facility is expanded, any time a new cell is constructed, or any time a cell is expanded.

V. ADMINISTRATIVE REQUIREMENTS

A. Permit Modification

Modifications to this Permit may be made upon application by the Permittee or by the Executive Secretary. The Permittee will be given written notice of any permit modification initiated by the Executive Secretary.

B. Permit Transfer

This Permit may be transferred to a new permittee or new permittees by meeting the requirements of the permit transfer provisions of UAC R315-310-11.

C. Expansion

This Permit is for the operation of a Class V Landfill in accordance with the design and Operation Plan described and explained in the permit application. Any expansion of the current footprint designated in the description contained in the permit application, but within the property boundaries designated in the permit application, will require submittal of plans and specifications to the Executive Secretary. The plans and specifications must be approved by the Executive Secretary prior to construction.

Any expansion of the landfill facility beyond the property boundaries designated in the description contained in the permit application will require submittal of a new permit application in accordance with the requirements of UAC R315-310 and UCA 19-6-108(1)(d) and must receive all approvals required in UCA 19-6-108.

Any addition to the acceptable wastes described in Section 1B will require submittal of all necessary information to the Executive Secretary and the approval of the Executive Secretary

D. Expiration

Application for permit renewal shall be made at least six months prior to the expiration date, as shown on the signature (cover) page of this Permit. If a timely renewal application is made and the permit renewal is not complete by the expiration date, this Permit will continue in force until renewal is completed or denied.

E. Status Notification

Eighteen months from the date of this Permit the Executive Secretary shall be notified in writing of the status of the construction of this facility unless construction is complete and operation has commenced. If construction has not begun within 18 months the Permittee must submit adequate justification to the Executive Secretary as to the reasons that construction has not commenced. If no submission is made or the submission is judged inadequate by the Executive Secretary, this Permit will be revoked

F. Construction Approval and Request to Operate

The Permittee shall meet each of the following conditions prior to receipt of waste:

1. The Permittee shall notify the Executive Secretary, prior to acceptance of waste, that all the requirements of this Permit have been met and all required facilities, structures and accounts are in place as required.
2. The Permittee shall submit to the Executive Secretary, for approval, documentation that all local zoning requirements and local government approvals have been obtained for operation of this landfill.
3. The Permittee shall submit to the Executive Secretary, prior to the construction of any portion of the landfill; including offices, fences, and gates; documentation that the permittee/s own/s or has/have a lease that allows this property to be used as a landfill.
4. Permittee must demonstrate that the lowest layer of non-inert waste is greater than 10 feet from the historic high ground water elevation. The Permittee must submit documentation of this demonstration for approval by the Executive Secretary.
5. The Permittee shall notify the Executive Secretary when the requirements for approval of the Governor and Legislative in UCA 19-6-108(3)(c) have been met. No construction may be commenced on the facility until the Executive secretary has received notice of Governor and Legislative approval and acknowledged receipt to the Permittee.

Attachment 1

**UTAH DIVISION OF SOLID AND HAZARDOUS WASTE
LANDFILL PERMIT
STATEMENT OF BASIS FOR ASBESTOS CELL**

Owner: Contract Environmental Services, Inc.

Landfill Class: V – Commercial Nonhazardous Solid Waste Disposal Facility

Waste Accepted: Asbestos Containing Waste (Friable Asbestos), Construction and Demolition Waste

Basis for Permit Class and Requirements:

Friable asbestos waste is the result of work conducted by licensed asbestos abatement contractors. The potential health effects come from asbestos fibers entering the lungs. Asbestos abatement contractors are required to contain these fibers in double bags. Air is removed from the bag and subsequently sealed. The bag is then put in another bag from which the air is also removed and again sealed. These bags are transported in trucks that are lined and covered. Upon arrival at the disposal site, the bags are placed in the landfill disposal cell and are covered. Bags cannot be broken and the landfill cannot use compaction equipment on the waste. Bags are placed in the disposal cell by hand or with a small piece of equipment and every effort is made to maintain the integrity of the bags. Asbestos disposal facilities are required to fence the asbestos disposal cell and to place signs warning that friable asbestos has been disposed at the site.

Friable asbestos is a solid waste and is classified as a special waste requiring special handling under Utah Administrative Code (UAC) R315-315. Because of the special handling requirements that are required, material containing asbestos is specifically excluded from the definition of construction and demolition (C/D) waste and therefore is not to be disposed in a C/D landfill. Once the friable asbestos is placed in a disposal cell and covered, eliminating any human exposure opportunities, the health risk is extremely low. Friable asbestos is an appropriate waste for disposal in Class I, II, III or V landfills where proper operational procedures are detailed in the permit and are to be followed by the landfill operator.

Disposal of C/D waste is compatible with the disposal of asbestos containing waste. These waste have been shown to present little potential for contamination of ground water and will not present any litter potential. The one difference between an asbestos disposal cell and a C/D disposal cell is that the asbestos cell requires daily cover while the C/D cell requires monthly cover.

Specific Requirements for Contract Environmental Class V Asbestos Monofill

Contract Environmental Services, Inc. has proposed the construction and operation of a landfill cell to take material resulting from the abatement of structures containing friable asbestos and a landfill cell to take C/D waste. Because Contract Environmental Services, Inc. intends to operate the facility for a profit and receive asbestos-containing waste, the only landfill class that would apply is a Class V landfill. However, most of the siting, operation, monitoring and closure requirements that apply to a Class V landfill are not necessary for the limited type of waste to be disposed by Contract Environmental Services.

To provide the appropriate level of regulatory oversight and protection of public health and the environment while not placing unnecessary restrictions on the facility, a combination of requirements from the rules covering Class V and Class VI landfills has been used to permit the facility.

The siting criteria that are most appropriate for the level of risk posed by the facility are those for a Class VI landfill (commercial C/D) that takes dead animals. These siting criteria provide the necessary protection for public health and the environment through setback distances from buildings and other areas occupied by people as well as floodplain and wetlands preservation.


Additionally, operational requirements regarding the disposal of friable asbestos are also addressed by rules administered by the Utah Division of Air Quality. Inspection of the waste at the landfill is to be performed without opening the bags and the subsequent disposal is to be done without compaction or breaking the sealed bags. Proper soil or an alternative cover must be applied over the asbestos waste each day. Proper signs and fencing must be in place and maintained.



Inspections of the site along with closure and post-closure care are to be conducted in accordance with the requirements for a Class VI landfill found in UAC R315-305.

Attachment B

Map

DISCOVER UTAH'S STATE PARKS AND MUSEU






[Area Attractions](#) | [Communities](#) | [Map of the Area](#) | [Businesses](#) | [Accommodations](#) | [Camping](#) | [Scenic Loop](#) | [Museums](#) | [Calendar](#) | [Heritage](#) | [More](#) | [Area Information](#) | [Contact](#)


[Business](#) | [Transport/Freight](#) | [Demographics](#) | [Employment](#) | [Map of the Area](#) | [Education](#) | [Real Estate](#) | [Climate](#) | [Camping](#)

[Tourism](#) | [Relocation](#)



ROAD CLASSIFICATION

Primary highway, hard surface Light-duty road, hard or improved surface
 Secondary highway, hard surface Unimproved road
 Interstate Route U. S. Route State Route




RUIN POINT, UTAH-COLO.


NE/4 CAJON MESA 15' QUADRANGLE
 37109-D1-TF-024

1985

DMA 4158 I NE-SERIES V897


(BOWDISH CANYON)
 225 N SW





18

PUBLIC LANDS (BLM)




80 ACRE
TRACT

PUBLIC LANDS (BLM)

MARVIN REDBURN

<-30'->

Showing the plot of the 160 acre piece of property in relation to
Section 18.







Figure 2. Showing Internal Road System.





Entrance from Highway



Entrance Sign to the Landfill



Security Gate from the Entrance and Landfill Sign



Security Gate



Entrance Gate Looking North



Entrance Gate Looking West



Looking south of Current Asbestos Cell #11 to be closed



Looking east of current Asbestos Cell #11 to be closed



Looking north of current Asbestos Cell #10 to be closed



Looking east of current Asbestos Cell #10 to be closed




Looking south of current Construction and Demolition Cell #15 to be closed




Looking west of current Construction and Demolition Cell #15 to be closed

Attachment C

Modification Plan Layout



Modification Plan Layout



Current Asbestos Landfill
Cell #10 and #11 to be closed

**New Phase for Asbestos Landfill
Cell #8 and #9 to be utilized**

Current C/D Landfill
Cell #15 to be closed

**New Phase for C/D Landfill
Cell #14 (#16 or #17) to be utilized**




Looking south of Cell #9 to be utilize for New Phase of Asbestos Landfill



Looking west of Cell #8 to be utilize for New Phase of Asbestos Landfill



Looking south of Cell #14 to be utilize for New Phase of Construction and Demolition Landfill



Looking west of Cell #16 to be utilize for New Phase of Construction and Demolition Landfill

Attachment D

Closure and Post Closure Cost Estimate

Cost Estimate

Contract Environmental Services, Inc.

Landfill Closure

Aneth Landfarm

Aneth, San Juan County, Utah

March 25, 2016



	RATE/UNIT	QUANTITY	TOTAL COST	NOTE
TASK 1: CLOSURE FIELD WORK (Single event - 3 cells for a total of 9 acres)				
Equipment Rental Loader	\$5,720	1	\$5,720.00	Rate per month. 4Rivers Equipment. Includes mobilization/demobilization.
Equipment Operator	\$76.50	20	\$1,530.00	Field Tech Operator, 2 days, includes travel
Staff Scientist/Geologist	\$92.50	14	\$1,295.00	Oversee Field work, sample collection
Revegetation	\$3,000	1	\$3,000.00	Seeds, plants, fertilizers.
Laboratory Analysis	\$99.00	30	\$2,970.00	30 samples: TPH (418.1) or GRO, DRO (8015M)
Mileage	\$1.00	184	\$184.00	Mileage
		Task 1 Total	\$14,699.00	
TASK 2: POST-CLOSURE MAINTENANCE (30 Years) and CLOSURE PLAN				
Revegetation repair (if necessary)	\$2,500	1	\$2,500.00	Seeds, plants, fertilizers.
Staff Scientist/Geologist	\$92.50	300	\$27,750.00	Site monitoring, 2/yr for 30 yrs, includes travel.
Laboratory Analysis (if necessary)	\$99.00	1	\$99.00	TPH (418.1) or GRO, DRO (8015M), for necessary locations
Mileage	\$1.00	184	\$184.00	Mileage
PE stamp sign off certification	\$152.75	2	\$305.50	Closure Report review and sign
Project Manager	\$111.00	2	\$222.00	Project Management, Client/Regulatory contact
		Task 2 Total	\$31,060.50	

SUBTOTAL \$45,759.50
General Contingency Fee (12%) \$5,491.14
GRAND TOTAL \$51,250.64

*Closure Plan is anticipated for only for 3 cells, totaling 9 acres.

*No buildings or structures exist on those 9 acres.

*Estimate only, rates may change based on State regulation requirements.

*Please note only costs and materials actually incurred during the project will be invoiced.